

FICAM W

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

1/9 Print Date 15.01.2003

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product information

Trade name : FICAM W

Product code : AE B052020 00 WP80 A3

Product code : CR16851

Specification : 20965

Usage : insecticide

Company : Bayer Environmental Science

Durkan House

214-224 High Street

Waltham Cross

Hertfordshire EN8 7DP

United Kingdom

Telephone : +44(0)1992 784270

Telefax : +44(0)1992 784276

Emergency telephone

number

: 0800-220876 (UK only)

+44(0)1223-870312

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Wettable powder (WP), contains:

Bendiocarb 80%

Hazardous components

Chemical Name CAS-No. Symbol(s): R-phrases(s) Concentration [%]

Bendiocarb (iso) 22781-23-3 T, N R21

R23/25

R50/53

80.00

Sodium alkylnaphthalene

sulfonate

Xi R36/38 > 1.00 - < 5.00

Alkylated naphthalene

sulfonate, formaldehyde

polymer, sodium salt

Xi R36/38 > 1.00 - < 5.00

Silica, amorphe 7631-86-9 > 5.00 - < 25.00

3. HAZARDS IDENTIFICATION

Risk advice to man and the environment

Toxic by inhalation and if swallowed.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

2/9 Print Date 15.01.2003

4. FIRST AID MEASURES

General advice : Remove contaminated, soaked clothing immediately and dispose of safely.

Inhalation : Move the patient to fresh air and keep at rest. Seek medical advice immediately.

Skin contact : Wash off immediately with soap and plenty of water. Seek medical advice immediately.

Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion : Induce vomiting if patient is fully conscious, time since ingestion is less than 30 minutes and medical aid is not readily available (Vomit should not get into the respiratory tract). Wash out mouth with water. Seek URGENT medical advice.

Notes to physician

Symptoms : Local: , May cause skin and eye irritation.

Symptoms : Systemic: , headache, sweating, lachrymation, salivation, flushing, dizziness, nausea, vomiting, diarrhoea, Abdominal pains, discomfort in the chest, lowered blood pressure, bradycardia/tachycardia, blurred vision, muscle twitching, convulsions, breathing difficulties

Risks : This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

Treatment : Local treatment:

Initial treatment should be symptomatic and supportive.

Treatment : Systemic treatment:

Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.

Artificial respiration and/or oxygen may be necessary.

Against convulsions: Give diazepam: for adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.

Treatment for adults: for all cases a high dose of Atropine (2 to 4 mg) repeated every 10 to 15 minutes as needed.

Contraindications: oximes (pralidoxime, oblidoxime), succinyl choline, aminophylline

Contraindications: derivatives of morphine

Recovery: Spontaneous.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: water spray jet

carbon dioxide (CO₂)

dry powder

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

3/9 Print Date 15.01.2003

foam

Extinguishing media which

must not be used for safety

reasons

: high volume water jet

Specific hazards during fire

fighting

: In case of fire the evolution of dangerous gases is possible.

Special protective

equipment for fire-fighters

: In the event of fire and/or explosion do not breathe fumes.

Wear self contained breathing apparatus for fire fighting if

necessary.

Further information : Remove product from areas of fire, or otherwise cool

containers with water in order to avoid pressure being built up

due to heat.

Whenever possible, contain fire-fighting water by bunding area

with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid dust formation.

Avoid contact with spilled product or contaminated surfaces.

When dealing with a spillage do not eat, drink or smoke.

Environmental precautions : Keep people and animals away.

Do not discharge into the drains/surface water/groundwater.

If spillage enters drains leading to sewage works inform local water company immediately.

If spillage enters rivers or watercourses, inform the

Environment Agency (emergency telephone number 0800

807060).

Methods for cleaning up : Vacuum up spilled product

Transfer collected material to heavy duty plastic drums and

keep safe for disposal.

Clean contaminated floors and objects thoroughly, observing

environmental regulations

Additional advice : Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see

section 8.

Information regarding waste disposal, see section 13.

Check also for any local site procedures.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Avoid dust formation.

Provide good ventilation of working area (local exhaust *SAFETY DATA SHEET* according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

4/9 Print Date 15.01.2003

ventilation if necessary).

Advice on protection
against fire and explosion

: The product is combustible.

Dust can form an explosive mixture with air.

Storage

Requirements for storage
areas and containers

: Keep container tightly closed in a dry and well-ventilated place.

Store in a place accessible by authorized persons only.

Further information on

storage conditions

: Protect against heat and direct sunlight

Protect against moisture.

Advice on common storage : Keep away from food, drink and animal feedingstuffs.

Storage temperature : 0 - 30 °C

Suitable materials : Keep in original packaging, tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of substances Hazardous to Health Regulations 1999 as amended). Engineering controls should be used in preference to personal protective equipment

wherever practicable.

Components with workplace control parameters

Components CAS-No. Control parameters Update Basis

Silica, amorphe 7631-86-9 2.4 mg/m³ (TWA)

6 mg/m³ (TWA)

2001

2001

EH40 OES

EH40 OES

Additional advice : OES for bendiocarb 0.2 mg/m³ (WHO)

Personal protective equipment

Respiratory protection : Dust mask

Hand protection : Chemical resistant gloves

PVC gloves

nitrile gloves

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Light protective clothing, PVC

PVC boots

Hygiene measures : When using, do not eat, drink or smoke.

Remove soiled clothing immediately.
Remove soaked clothing immediately.
Clean hands and face at work intervals and after work.
Work in an adequately ventilated room.
SAFETY DATA SHEET according to EC Directive 2001/58/EC
Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

5/9 Print Date 15.01.2003

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form : Powder

Colour : off-white

Safety data

Minimum ignition energy : 30 - 100 mJ

Lower explosion limit : 30 g/m³

Dust explosion class : St 2

Bulk density : 0.25 kg/m³

Water solubility : Note: Miscible

Partition coefficient (noctanol/
water)

: log Pow: 1.7

at: 25 °C Note: The value mentioned relates to the active
ingredient Bendiocarb.

Other information : Combustible solid product.

10. STABILITY AND REACTIVITY

Conditions to avoid : Note: Extremes of temperature and direct sunlight.

Materials to avoid : None

Hazardous reactions : No hazardous reactions when stored and handled according
to prescribed instructions.

Note: Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 (rat) 141 mg/kg

Acute inhalation toxicity : LC50 (rat) 0.55 mg/l

Exposure time: 4 h

Test substance: The value mentioned relates to the active
ingredient Bendiocarb.

Acute dermal toxicity : LD50 (rat) > 2,000 mg/kg

Skin irritation : rabbit

Result: No skin irritation

Eye irritation : rabbit

Result: No eye irritation

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

6/9 Print Date 15.01.2003

Sensitization : Maximisation Test (GPMT) guinea pig

Result: non-sensitizing

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

Bioaccumulation : Bluegill sunfish

Bioconcentration factor (BCF): 64.8

Test substance: The value mentioned relates to the active ingredient Bendiocarb.

Ecotoxicity effects

Toxicity to fish : LC50: 0.87 mg/l

Rainbow trout

Exposure time: 96 h

Toxicity to fish : LC50: 2.2 mg/l

Lepomis macrochirus (Bluegill sunfish)

Exposure time: 96 h

Toxicity to daphnia : EC50: 3.7 mg/l

Water flea (Daphnia magna)

Exposure time: 48 h

Test substance: The value mentioned relates to the active ingredient Bendiocarb.

Toxicity to algae : 1.71 mg/l

Selenastrum capricornutum

Exposure time: 72 h

Test substance: The value mentioned relates to the active ingredient Bendiocarb.

Toxicity to other organisms : LD50: 3.1 mg/kg

Mallard duck

Test substance: The value mentioned relates to the active ingredient Bendiocarb.

Toxicity to other organisms : LD50: 19 mg/kg

Bobwhite quail

Test substance: The value mentioned relates to the active ingredient Bendiocarb.

13. DISPOSAL CONSIDERATIONS

Product : In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority

Can be landfilled or incinerated, when in compliance with local regulations.

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

7/9 Print Date 15.01.2003

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste.

Empty containers can be landfilled, when in compliance with the Environmental Protection (Duty of Care) Regulations 1991.

14. TRANSPORT INFORMATION

ADR/RID : UN-No **2757**

Class 6.1

Packaging group III

Hazard no. 60

Description of the goods 2757 CARBAMATE PESTICIDE, SOLID, TOXIC
(BENDIOCARB)

ADNR : UN-No **2757**

Class 6.1

Item 73

Letter c

Description of the goods 2757 Carbamate pesticide, solid, toxic
(BENDIOCARB)

IMDG : UN-No **2757**

Class 6.1

Packaging group III

EmS 6.1-04

Marine pollutant P

Description of the goods CARBAMATE PESTICIDE, SOLID, TOXIC
(BENDIOCARB 80%)

IATA : UN-No **2757**

Class 6.1

Packaging group III

Description of the goods Carbamate pesticide, solid, toxic
(BENDIOCARB 80%)

CDG CPL : UN-No **2757**

Class 6.1

Packaging group III

Hazard identification number 60

Emergency action code 2X

Proper shipping name CARBAMATE PESTICIDE, SOLID, TOXIC
(BENDIOCARB)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3.

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

8/9 Print Date 15.01.2003

Hazardous components which must be listed on the label:

Bendiocarb (iso)

Exceptional labelling of
special preparations

: Restricted to professional users.

To avoid risks to man and the environment, comply with the
instructions for use.

Symbol(s): : T Toxic

N Dangerous for the environment

R-phrase(s) : R23/25 Toxic by inhalation and if swallowed.

R50/53 Very toxic to aquatic organisms, may cause
long-term adverse effects in the aquatic
environment.

S-phrase(s) : S35 This material and its container must be
disposed of in a safe way.

S45 In case of accident or if you feel unwell,
seek medical advice immediately (show
label where possible).

S57 Use appropriate containment to avoid
environmental contamination.

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

R21 Harmful in contact with skin.

R23/25 Toxic by inhalation and if swallowed.

R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will

be updated as and when appropriate.

SAFETY DATA SHEET according to EC Directive 2001/58/EC

Bayer Environmental Science

FICAM W

Version 1 GB

Revision Date 07.01.2003 102000002338

9/9 Print Date 15.01.2003

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version will be highlighted in the margin. This version replaces all previous versions.