

SAKARAT D

1. Identification of the preparation and the supplying Company

SAKARAT D WAX BAIT

Killgerm Chemicals Ltd, Denholme Drive, Ossett, West Yorkshire, WF5 9NA.

Tel: +44 (0)1924 268450 Fax: (0)1924 265033 Email: technical@Killgerm.com

2. Composition and information on ingredients

Hazardous Components in Product for EC

Component Name CAS No. Concentration R Phrases

Difenacoum Technical Material 56073-07-5 0.005% R26/27/28 R48/2

Classification

T+-T

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R48/25 Toxic: danger of serious damage to health by prolonged exposure if swallowed.

T - Toxic.

T+ - Very toxic.

3. Hazard identification Main Hazards

Not classified as hazardous.

Large quantities would need to be ingested to produce a toxic effect. Avoid all contact by mouth.

Practically non-hazardous by skin contact.

This product contains difenacoum, an indirect anticoagulant. Any signs of poisoning are unlikely to

occur until 12-18 hours after ingestion. Thereafter, they will develop progressively and may rapidly appear.

Clinical signs result from an increased bleeding tendency and include: an increase in prothrombin

time, bruising easily with occasional gum bleeding, blood in the stool or urine, excessive bleeding

from minor cuts and abrasions, pale mouth and cold gums, anorexia and general weakness.

More

severe cases of poisoning include haemorrhage (usually internal) and shock.

This product is hazardous to mammals including domesticated animals, and birds if ingested.

Exposure of non-target animals should be prevented.

4. First Aid measures Ingestion: Wash out mouth with water. Do not induce vomiting. Obtain medical attention.
Inhalation: Remove from exposure. Obtain medical advice if symptoms develop.
Skin contact: Wash skin with soap and water.
Eye contact: Wash out eye with plenty of water. Obtain medical advice if necessary.

Advice to doctor: Difenacoum is an indirect anticoagulant. Vitamin K1 (phytomenadione) is antidotal. In the case of suspected poisoning, determine prothrombin time not less than 18 hours after consumption. If elevated, administer vitamin K1, 40mg/day for adults and 20mg/day for children in divided doses. Continue until prothrombin times normalise. Continue determination of prothrombin time for two weeks after withdrawal of the antidote and resume treatment if elevation occurs in that time. N.B. Vitamin K3 is not effective.
For comprehensive medical advice on the treatment of poisoning, contact the nearest Poisons Information Centre.

5. Fire-fighting measures General Hazard This product is non-flammable, but is combustible.

Extinguishing Media Use water spray, foam, dry chemical or carbon dioxide. Cool the smouldering material with water spray to minimise the possibility of re-ignition. Keep containers and surroundings cool with water spray.

Protective Equipment for Fire-Fighting

Wear self contained breathing apparatus.

6. Spillages Any spillages should be cleared up immediately and disposed of safely. Wash contaminated surfaces with detergent solution.

7. Handling and Storage

Precautions in use: The product must be used and stored only in accordance with the product label. Refer also to the section 'Exposure

C t l / P I P t t i '

Page 1 of 2

Safety Data Sheet Sakarat D Wax Bait

SDS: Sakarat D Wax Bait Issue Date: July 2002

Controls/Personal Protection'.

Avoid all contact by mouth.

Wash hands and exposed skin before meals and after use.

Empty container completely and dispose of safely.

Storage and transport

precautions:

Store in original container under cool and dry conditions in a secure, well ventilated place, inaccessible to children, and away from foodstuffs and animal feedstuffs. Store and transport away from products which may have an odour

8. Exposure controls and personal protection

PPE ITEM IN USE SPILLAGE

Gloves Unlined/Flock lined, synthetic rubber/PVC to EN 374. (300mm in length) eg. Nitrile.

Unlined/Flock lined, synthetic rubber/PVC to EN 374. (300mm in length) eg. Nitrile.

Overall Basic type eg. Heavy duty polycotton or coverall type 5/6.

Coverall type 5/6.

Goggles/

Faceshield

Goggles to EN 166 3459B.

9. Physical and chemical properties

Physical State A wax / paste bait.

Colour Green/Blue.

Odour No significant odour.

Flammability Not flammable.

Solubility in water Insoluble.

Explosive Properties None.

Oxidising Properties None.

10. Stability and Reactivity Stable under normal conditions.

11. Toxicological information Acute Toxicity Oral LD50 (rat) 36000mg/kg

Irritancy - Eyes Not an eye irritant

Irritancy - Skin Not a skin irritant

Skin Sensitisation No known reports of skin sensitization

12. Ecological information This product is hazardous to mammals including domesticated animals, and birds if ingested.

Exposure of non-target animals should be prevented.

13. Disposal considerations Empty containers: - Empty completely. Dispose of as below.

Unused/recovered from

Spillage material }

Contaminated PPE }

Do not dispose of in domestic refuse. Treat as "controlled" waste. Ask supplier for advice.

14. Transport information Not classified.

15. Regulatory information FOR USE ONLY AS A RODENTICIDE

Approved under The Control of Pesticides Regulations 1986 (as amended) for the control of mice.

Indoors and outdoors by professional operator.

Approval Number: HSE 7489

For the Statutory Conditions Relating to Use and Precautions please refer to the product label.

16. Other information For use only as specified on the label.

The information in this data sheet should be considered when undertaking a risk assessment under

the COSHH regulations. A data sheet does not constitute a COSHH assessment.

This product contains a warning dye.